# **Resetting SLA**



See our new reset an SLA document in which we describe all resetting options.

Under some conditions, resetting SLA counter might be needed. It resets the counter, and countdown starts to count from zero.

Resetting SLA can be done by three options:


- 1. SLA Definition > Reset SLA
- 2. Reset SLA Post function
- 3. Reset SLA from "Reset SLA" link

## Reset SLA upon field changes


In this type of resetting option, SLA will be reset whenever the selected fields change. Every SLA definition can have their own resetting options.

Configuring the Reset SLA is as follows:

First select Reset SLA (Set Reset Conditions for version 9.0.0+) option after clicking cog icon next to SLA definition.



Select the field(s) and/or custom field(s) in order to reset SLA whenever at least one of them changes




# **Reset SLA Post function**

You can also reset SLA by using "TTS - Reset SLA" Workflow Post Function.

This type of Reset SLA is done through workflows.

Go to page JIRA Admin > Issues > Workflows click Edit link on any of the workflows.



Click any of the transitions or just add a new transition by Add Transition link.



Switch to "Post Functions" tab and click Add post function

Conditions 0 Validators 0 Post Functions 5

5. Fire a Generic Event event that can be processed by the listeners.


# The following will be processed after the transition occurs 1. Set issue status to the linked status of the destination workflow step. 2. Add a comment to an issue if one is entered during a transition. 3. Update change history for an issue and store the issue in the database. 4. Re-index an issue to keep indexes in sync with the database.

## Find TTS - Reset SLA and click on Add button

plica	ations Projects Issues Add-ons U	lser management System
dd F	Post Function To Transition	
	Name	Description
0	Assign to Current User	Assigns the issue to the current user if the current user has the 'Assignable User' permission.
0	Assign to Lead Developer	Assigns the issue to the project/component lead developer
0	Assign to Reporter	Assigns the issue to the reporter
0	Notify HipChat	Send a notification to one or more HipChat rooms.
0	TTS - Notify overdue transition	Post function to notify transition that has exceeded time limit within specified period.
0	TTS - Reset SLA	Post function to allow resetting SLA counters
0	Trigger a Webhook	If this post-function is executed, JIRA will post the issue content in JSON format to the URL specified.
0	Update Issue Field	Updates a simple issue field to a given value.

With this resetting type you can select either restarting or invalidating SLA.


Lastly, select SLAs which should be reset within the transition



That's it.

Workflows / TTS Project Workflow (Draft)

Transition: Reset SLA



3. Add a comment to an issue if one is entered during a transition.

Do not forget to publish the workflow to see post function in action.


### Reset SLA data from "Reset SLA" link




Warning

As of version 9.0.0, Reset SLA link is moved to Time to SLA menu in issue actions area.

Click  $\boldsymbol{\mathsf{More}}$  in the issue screen to expand and click  $\boldsymbol{\mathsf{Reset}}$   $\boldsymbol{\mathsf{SLA}}$  from the list.



Select SLAs to apply and reset time from the dialog.



Click Proceed to reset SLA data.